

NCPDP VERSION D CLAIM BILLING/CLAIM REBILL REQUEST CLAIM BILLING/CLAIM REBILL PAYER SHEET

** Start of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet **

GENERAL INFORMATION

Payer Name: Alameda Alliance Commercial		Date: 10/22/2013	
Plan Name/Group Name: Alameda Alliance Commercial		BIN: 600428	PCN: 06360000
Processor: Argus Health Systems			
Effective as of: 01/01/2014		NCPDP Telecommunication Standard Version/Release #: D.0	
NCPDP Data Dictionary Version Date July, 2007		NCPDP External Code List Version Date March, 2010	
Contact/Information Source: PerformRx 1-855-508-1713			
Certification Testing Window: Certification Not Required.			
Certification Contact Information: Certification Not Required.			
Provider Relations Help Desk Info: 1-855-508-1713			
Other versions supported:			

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B2	Reversal

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	M	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y").	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill <i>If Situational, Payer Situation</i>
This Segment is always sent	X	
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Payer Issued		Certification Not Required.
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software Vendor/Certification ID (11Ø-AK) is Not used		

Field #	Transaction Header Segment <i>NCPDP Field Name</i>	Value	Payer Usage	Claim Billing/Claim Rebill <i>Payer Situation</i>
1Ø1-A1	BIN NUMBER	600428	M	
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø4-A4	PROCESSOR CONTROL NUMBER	06360000	M	
1Ø9-A9	TRANSACTION COUNT	1 - 4	M	1 - 4 transactions for transmissions
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Ø1	M	Only value 'Ø1' (NPI) accepted.
2Ø1-B1	SERVICE PROVIDER ID		M	NPI of pharmacy
4Ø1-D1	DATE OF SERVICE		M	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	6Ø1DN3ØY	M	6Ø1DN3ØY

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø2-C2	CARDHOLDER ID		M	
312-CC	CARDHOLDER FIRST NAME			Imp Guide: Required if necessary for state/federal/regulatory agency programs when the cardholder has a first name. Payer Requirement: Same as Imp Guide
313-CD	CARDHOLDER LAST NAME			Imp Guide: Required if necessary for state/federal/regulatory agency programs. Payer Requirement: Same as Imp Guide
3Ø3-C3	PERSON CODE			Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID. Payer Requirement: (required when specific edits apply

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Patient Segment Segment Identification (111-AM) = "Ø1"			Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø4-C4	DATE OF BIRTH		R	
3Ø5-C5	PATIENT GENDER CODE		R	
311-CB	PATIENT LAST NAME		R	

Claim Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This payer supports partial fills		
This payer does not support partial fills	X	

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing – Transaction is a billing for a prescription or OTC drug product	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
436-E1	PRODUCT/SERVICE ID QUALIFIER	ØØ = Not Specified Ø3 = National Drug Code (NDC)	M	ØØ = Multi-Ingredient Compound billing
4Ø7-D7	PRODUCT/SERVICE ID	Ø = If Compound, otherwise 11 digit NDC	M	
442-E7	QUANTITY DISPENSED		R	
4Ø3-D3	FILL NUMBER	Ø = Original dispensing – The first dispensing 1-99 = Refill number – Number of the replenishment	R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø6-D6	COMPOUND CODE	-1 = Not a Compound— Medication that is available commercially as a dispensable product 2 = Compound – Customized medication prepared in a pharmacy by combining, mixing, or altering of ingredients (but not reconstituting) for an individual patient in response to a licensed practitioner's prescription	R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
414-DE	DATE PRESCRIPTION WRITTEN		R	
415-DF	NUMBER OF REFILLS AUTHORIZED	Ø = No refills authorized 1-99 = Authorized Refill number – with 99 being as needed, refills	RW	<i>Imp Guide:</i> Required if necessary for plan benefit administration. <i>Payer Requirement:</i> Same as Imp Guide .
419-DJ	PRESCRIPTION ORIGIN CODE		RW	<i>Imp Guide:</i> Required if necessary for plan benefit administration. <i>Payer Requirement:</i> Required on original Rx. When Fill Number is 'Ø' (Original Prescription), the POC requires a value of 1 – 5. Optional on refill Rx. When Fill Number is Ø1 – 99 (Refill Prescription), the POC may be submitted with values of 1 – 5.

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Note: POC editing for Original Rx varies by customer. If claim denies, will return NCPDP Reject Code '33' (M/I Prescription Origin Code).
354-NX	SUBMISSION CLARIFICATION CODE COUNT	Maximum count of 3	RW	Imp Guide: Required if Submission Clarification Code (42Ø-DK) is used. Payer Requirement: <i>Same as Imp Guide</i>
42Ø-DK	SUBMISSION CLARIFICATION CODE		RW	Imp Guide: Required if clarification is needed and value submitted is greater than zero (Ø). If the Date of Service (4Ø1-D1) contains the subsequent payer coverage date, the Submission Clarification Code (42Ø-DK) is required with value of "19" (Split Billing – indicates the quantity dispensed is the remainder billed to a subsequent payer when Medicare Part A expires. Used only in long-term care settings) for individual unit of use medications. Payer Requirement: <i>Same as Imp Guide</i>
3Ø8-C8	OTHER COVERAGE CODE	Ø = Not Specified by patient 1 = No other coverage – Code used in coordination of benefits transactions to convey that no other coverage is available. 2 = Other coverage exists-payment collected – Code used in coordination of benefits transactions to convey that other coverage is available, the payer has been billed and payment received. 3 = Other Coverage Billed – claim not covered – Code used in coordination of benefits transactions to convey that other coverage is available, the payer has been billed and payment denied because the service is not covered. 4 = Other coverage exists-payment not collected – Code used in coordination of benefits transactions to convey that other coverage is available, the payer has been billed and payment has not been received. 8 = Claim is billing for patient financial responsibility only – Copay is a form of cost sharing that holds the patient responsible for a fixed dollar	RW	Imp Guide: Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers. Required for Coordination of Benefits. Payer Requirement: <i>Same as Imp Guide</i>

Claim Segment Segment Identification (111-AM) = "Ø7"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
		amount for each product/service received and regardless of the patient's current benefit status, product selection or network selection.		
461-EU	PRIOR AUTHORIZATION TYPE CODE		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Same as Imp Guide
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Required when prior authorization number is issued.
Pricing Segment Questions		Check	Claim Billing/Claim Rebill If Situational, Payer Situation	
This Segment is always sent		X		

Pricing Segment Segment Identification (111-AM) = "11"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	
412-DC	DISPENSING FEE SUBMITTED		R	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
433-DX	PATIENT PAID AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Same as Imp Guide
438-E3	INCENTIVE AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
478-H7	OTHER AMOUNT CLAIMED SUBMITTED COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted Qualifier (479-H8) is used. <i>Payer Requirement:</i> Same as Imp Guide
479-H8	OTHER AMOUNT CLAIMED SUBMITTED QUALIFIER	Ø1 = Delivery Cost – An indicator which signifies the amount claimed for the costs related to the delivery of a product or service. Ø2 = Shipping Cost – The amount claimed for transportation of an item. Ø3 = Postage Cost – The amount claimed for the mailing of an item. Ø4 = Administrative Cost – An indicator conveying the following amount is related to the cost of activities such as utilization review, premium collection, claims processing,	RW	<i>Imp Guide:</i> Required if Other Amount Claimed Submitted (48Ø-H9) is used. <i>Payer Requirement:</i> Same as Imp Guide

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
		quality assurance, and risk management for purposes of insurance. Ø9 = Compound Preparation Cost Submitted – The amount claimed for the preparation of the compound. 99 = Other – Different from those implied or specified		
48Ø-H9	OTHER AMOUNT CLAIMED SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation. <i>Payer Requirement:</i> Same as Imp Guide
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE) are used. Required if this field could result in different pricing. Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX). <i>Payer Requirement:</i> Same as Imp Guide
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Rate Submitted (483-HE) are used. Required if this field could result in different pricing. Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX). <i>Payer Requirement:</i> Same as Imp Guide
426-DQ	USUAL AND CUSTOMARY CHARGE		RW	<i>Imp Guide:</i> Required if needed per trading partner agreement. <i>Payer Requirement:</i> Same as Imp Guide
43Ø-DU	GROSS AMOUNT DUE		R	
423-DN	BASIS OF COST DETERMINATION		RW	<i>Imp Guide:</i> Required if needed for receiver claim/encounter adjudication. <i>Payer Requirement:</i> Same as Imp Guide

Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Prescriber Segment Segment Identification (111-AM) = "Ø3"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
466-EZ	PRESCRIBER ID QUALIFIER	Ø1 – NPI	R	<i>Imp Guide:</i> Required if Prescriber ID (411-DB) is used. <i>Payer Requirement:</i> Same as Imp Guide.
411-DB	PRESCRIBER ID		R	<i>Imp Guide:</i> Required if this field could result in different coverage or patient financial responsibility. Required if necessary for state/federal/regulatory agency programs. <i>Payer Requirement:</i> Prescriber NPI required.

Coordination of Benefits/Other Payments Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	Required only for secondary, tertiary, etc claims.
Scenario 1 – Other Payer Amount Paid Repetitions Only	X	
Scenario 2 – Other Payer-Patient Responsibility Amount Repetitions and Benefit Stage Repetitions Only		
Scenario 3 – Other Payer Amount Paid, Other Payer-Patient Responsibility Amount, and Benefit Stage Repetitions Present (Government Programs)		

If the Payer supports the Coordination of Benefits/Other Payments Segment, only one scenario method shown above may be supported per template. The template shows the Coordination of Benefits/Other Payments Segment that must be used for each scenario method. The Payer must choose the appropriate scenario method with the segment chart, and delete the other scenario methods with their segment charts. See section [Coordination of Benefits \(COB\) Processing](#) for more information.

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	M	Scenario 1 – Other Payer Amount Paid Repetitions Only
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER	.	RW	<i>Imp Guide:</i> Required if Other Payer ID (34Ø-7C) is used. <i>Payer Requirement:</i> Same as Imp Guide
34Ø-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if identification of the Other Payer is necessary for claim/encounter adjudication. <i>Payer Requirement:</i> Same as Imp Guide
443-E8	OTHER PAYER DATE		RW	<i>Imp Guide:</i> Required if identification of the Other Payer Date is necessary for claim/encounter adjudication. <i>Payer Requirement:</i> Same as Imp Guide
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum count of 9.	RW	<i>Imp Guide:</i> Required if Other Payer Amount Paid Qualifier (342-HC) is used. <i>Payer Requirement:</i> Same as Imp Guide
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer Amount Paid (431-DV) is used. <i>Payer Requirement:</i> Same as Imp Guide

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
431-DV	OTHER PAYER AMOUNT PAID		RW	<p><i>Imp Guide:</i> Required if other payer has approved payment for some/all of the billing.</p> <p>Not used for patient financial responsibility only billing.</p> <p>Not used for non-governmental agency programs if Other Payer-Patient Responsibility Amount (352-NQ) is submitted.</p> <p><i>Payer Requirement:</i> Same as Imp Guide</p>
471-5E	OTHER PAYER REJECT COUNT	Maximum count of 5.	RW	<p><i>Imp Guide:</i> Required if Other Payer Reject Code (472-6E) is used.</p> <p><i>Payer Requirement:</i> Same as Imp Guide</p>
472-6E	OTHER PAYER REJECT CODE		RW	<p><i>Imp Guide:</i> Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (3Ø8-C8) = 3 (Other Coverage Billed – claim not covered).</p> <p><i>Payer Requirement:</i> Same as Imp Guide</p>

DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	To be sent if additional information is needed

	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
473-7E	DUR/PPS CODE COUNTER	Maximum of 9 occurrences.	RW	<p><i>Imp Guide:</i> Required if DUR/PPS Segment is used.</p> <p><i>Payer Requirement:</i> Same as Imp Guide</p>
439-E4	REASON FOR SERVICE CODE		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p> <p>Required if this field affects payment for or documentation of professional pharmacy service.</p> <p><i>Payer Requirement:</i> Same as Imp Guide</p>
44Ø-E5	PROFESSIONAL SERVICE CODE		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p> <p>Required if this field affects payment for or documentation of professional pharmacy service.</p> <p><i>Payer Requirement:</i> Same as Imp Guide</p>
441-E6	RESULT OF SERVICE CODE		RW	<p><i>Imp Guide:</i> Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome.</p>

	DUR/PPS Segment Segment Identification (111-AM) = "Ø8"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Required if this field affects payment for or documentation of professional pharmacy service. Payer Requirement: Same as Imp Guide

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	To be sent if claim is for a compound.

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		M	
451-EG	COMPOUND DISPENSING UNIT FORM INDICATOR		M	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	M	
488-RE	COMPOUND PRODUCT ID QUALIFIER	Ø3=NDC	M	
489-TE	COMPOUND PRODUCT ID		M	
448-ED	COMPOUND INGREDIENT QUANTITY		M	
449-EE	COMPOUND INGREDIENT DRUG COST		RW	Imp Guide: Required if needed for receiver claim determination when multiple products are billed. Payer Requirement: Same as Imp Guide
49Ø-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION		RW	Imp Guide: Required if needed for receiver claim determination when multiple products are billed. Payer Requirement: Same as Imp Guide

Clinical Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	To be used if additional information is needed.

	Clinical Segment Segment Identification (111-AM) = "13"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
491-VE	DIAGNOSIS CODE COUNT	Maximum count of 5.	RW	Imp Guide: Required if Diagnosis Code Qualifier (492-WE) and Diagnosis Code (424-DO) are used. Payer Requirement: (Same as Imp Guide).
492-WE	DIAGNOSIS CODE QUALIFIER		RW	Imp Guide: Required if Diagnosis Code (424-DO) is used. Payer Requirement: (Same as Imp Guide).
424-DO	DIAGNOSIS CODE		RW	Imp Guide: Required if this field could result in different coverage, pricing, patient financial responsibility, and/or drug utilization review outcome. Required if this field affects payment for professional pharmacy service. Required if this information can be used in place of prior authorization.

	Clinical Segment Segment Identification (111-AM) = "13"			Claim Billing/Claim Rebill
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
				Required if necessary for state/federal/regulatory agency programs. <i>Payer Requirement: Same as Imp Guide).</i>

**** End of Request Claim Billing/Claim Rebill (B1/B3) Payer Sheet ****

RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET

CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

** Start of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet **

GENERAL INFORMATION

Payer Name: Alameda Alliance Commercial	Date: 10/22/2013
Plan Name/Group Name: Alameda Alliance Commercial	BIN: 600428 PCN: 06360000

CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.0*.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

Field #	Response Transaction Header Segment <i>NCPDP Field Name</i>	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) <i>Payer Situation</i>
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	A = Accepted	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	<i>Provide general information when used for transmission-level messaging.</i>

Field #	Response Message Segment Segment Identification (111-AM) = "20"	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) <i>Payer Situation</i>
504-F4	MESSAGE		RW	<i>Imp Guide: Required if text is needed for clarification or detail.</i> <i>Payer Requirement: Same As Imp Guide</i>

Response Insurance Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) <i>If Situational, Payer Situation</i>
This Segment is always sent	X	

Field #	Response Insurance Segment Segment Identification (111-AM) = "25"	Value	Payer Usage	Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid) <i>Payer Situation</i>

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
545-2F	NETWORK REIMBURSEMENT ID		RW	<p><i>Imp Guide:</i> Required if needed to identify the network for the covered member.</p> <p>Required if needed to identify the actual Network Reimbursement ID, when applicable and/or available.</p> <p>Required to identify the actual Network Reimbursement ID that was used when multiple Network Reimbursement IDs exist.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>

Response Patient Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	
This Segment is situational		

	Response Patient Segment Segment Identification (111-AM) = "29"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
310-CA	PATIENT FIRST NAME		RW	<p><i>Imp Guide:</i> Required if known.</p> <p><i>Payer Requirement:</i> (Will return data from eligibility file).</p>
311-CB	PATIENT LAST NAME		RW	<p><i>Imp Guide:</i> Required if known.</p> <p><i>Payer Requirement:</i> (Will return data from eligibility file).</p>
304-C4	DATE OF BIRTH		RW	<p><i>Imp Guide:</i> Required if known.</p> <p><i>Payer Requirement:</i> (Will return data from eligibility file).</p>

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
503-F3	AUTHORIZATION NUMBER		RW	<p><i>Imp Guide:</i> Required if needed to identify the transaction.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.	RW	<p><i>Imp Guide:</i> Required if Approved Message Code (548-6F) is used.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
548-6F	APPROVED MESSAGE CODE		RW	<p><i>Imp Guide:</i> Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<p><i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement: Same As Imp Guide</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement: Same As Imp Guide</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement: Same As Imp Guide</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement: Same As Imp Guide</i>
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement: Same As Imp Guide</i>

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
551-9F	PREFERRED PRODUCT COUNT	Maximum count of 6.	RW	<i>Imp Guide:</i> Required if Preferred Product ID (553-AR) is used. <i>Payer Requirement: Same As Imp Guide</i>
552-AP	PREFERRED PRODUCT ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Preferred Product ID (553-AR) is used. <i>Payer Requirement: Same As Imp Guide</i>
553-AR	PREFERRED PRODUCT ID		RW	<i>Imp Guide:</i> Required if a product preference exists that needs to be communicated to the receiver via an ID. <i>Payer Requirement: Same As Imp Guide</i>
554-AS	PREFERRED PRODUCT INCENTIVE		RW	<i>Imp Guide:</i> Required if there is a known incentive amount associated with the Preferred Product ID (553-AR) and/or Preferred Product Description (556-AU). <i>Payer Requirement: Same As Imp Guide</i>

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
555-AT	PREFERRED PRODUCT COST SHARE INCENTIVE		RW	<i>Imp Guide:</i> Required if there is a known patient financial responsibility incentive amount associated with the Preferred Product ID (553-AR) and/or Preferred Product Description (556-AU). <i>Payer Requirement: Same As Imp Guide</i>
556-AU	PREFERRED PRODUCT DESCRIPTION		RW	<i>Imp Guide:</i> Required if a product preference exists that either cannot be communicated by the Preferred Product ID (553-AR) or to clarify the Preferred Product ID (553-AR). <i>Payer Requirement: Same As Imp Guide</i>

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	X	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
505-F5	PATIENT PAY AMOUNT		R	
506-F6	INGREDIENT COST PAID		R	
507-F7	DISPENSING FEE PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. <i>Payer Requirement: Same As Imp Guide</i>
557-AV	TAX EXEMPT INDICATOR		RW	<i>Imp Guide:</i> Required if the sender (health plan) and/or patient is tax exempt and exemption applies to this billing. <i>Payer Requirement: Same As Imp Guide</i>
558-AW	FLAT SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (Ø) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement. <i>Payer Requirement: Same As Imp Guide</i>
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø). Required if Percentage Sales Tax Rate Paid (560-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used. <i>Payer Requirement: Same As Imp Guide</i>
560-AY	PERCENTAGE SALES TAX RATE PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø). <i>Payer Requirement: Same As Imp Guide</i>
561-AZ	PERCENTAGE SALES TAX BASIS PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø). <i>Payer Requirement: Same As Imp Guide</i>

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
521-FL	INCENTIVE AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø). <i>Payer Requirement: Same As Imp Guide</i>
563-J2	OTHER AMOUNT PAID COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used. <i>Payer Requirement: Same As Imp Guide</i>
564-J3	OTHER AMOUNT PAID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used. <i>Payer Requirement: Same As Imp Guide</i>
565-J4	OTHER AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Other Amount Claimed Submitted (48Ø-H9) is greater than zero (Ø). <i>Payer Requirement: Same As Imp Guide</i>
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement. Required if Other Payer Amount Paid (431-DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported. <i>Payer Requirement: Same As Imp Guide</i>
5Ø9-F9	TOTAL AMOUNT PAID		R	
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	<i>Imp Guide:</i> Required if Ingredient Cost Paid (5Ø6-F6) is greater than zero (Ø). Required if Basis of Cost Determination (432-DN) is submitted on billing. <i>Payer Requirement: Same As Imp Guide</i>
			RW	
512-FC	ACCUMULATED DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement: Same As Imp Guide</i>
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement: Same As Imp Guide</i>
514-FE	REMAINING BENEFIT AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only. <i>Payer Requirement: Same As Imp Guide</i>
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes deductible <i>Payer Requirement: Same As Imp Guide</i>
518-FI	AMOUNT OF COPAY		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes copay as patient financial responsibility. <i>Payer Requirement: Same As Imp Guide</i>

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
52Ø-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum. <i>Payer Requirement: Same As Imp Guide</i>
571-NZ	AMOUNT ATTRIBUTED TO PROCESSOR FEE		RW	<i>Imp Guide:</i> Required if the customer is responsible for 1ØØ% of the prescription payment and when the provider net sale is less than the amount the customer is expected to pay. <i>Payer Requirement: Same As Imp Guide</i>
575-EQ	PATIENT SALES TAX AMOUNT		RW	<i>Imp Guide:</i> Used when necessary to identify the Patient's portion of the Sales Tax. <i>Payer Requirement: Same As Imp Guide</i>
574-2Y	PLAN SALES TAX AMOUNT		RW	<i>Imp Guide:</i> Used when necessary to identify the Plan's portion of the Sales Tax. <i>Payer Requirement: Same As Imp Guide</i>
572-4U	AMOUNT OF COINSURANCE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes coinsurance as patient financial responsibility. <i>Payer Requirement: Same As Imp Guide</i>
392-MU	BENEFIT STAGE COUNT	Maximum count of 4.	RW	<i>Imp Guide:</i> Required if Benefit Stage Amount (394-MW) is used. <i>Payer Requirement: . Same As Imp Guide</i>
393-MV	BENEFIT STAGE QUALIFIER		RW	<i>Imp Guide:</i> Required if Benefit Stage Amount (394-MW) is used. <i>Payer Requirement: Same As Imp Guide</i>
394-MW	BENEFIT STAGE AMOUNT		RW	<i>Imp Guide:</i> Required when a Medicare Part D payer applies financial amounts to Medicare Part D beneficiary benefit stages. This field is required when the plan is a participant in a Medicare Part D program that requires reporting of benefit stage specific financial amounts. Required if necessary for state/federal/regulatory agency programs. <i>Payer Requirement: Same As Imp Guide</i>
577-G3	ESTIMATED GENERIC SAVINGS		RW	<i>Imp Guide:</i> This information should be provided when a patient selected the brand drug and a generic form of the drug was available. It will contain an estimate of the difference between the cost of the brand drug and the generic drug, when the brand drug is more expensive than the generic. <i>Payer Requirement: Same As Imp Guide</i>
128-UC	SPENDING ACCOUNT AMOUNT REMAINING		RW	<i>Imp Guide:</i> This dollar amount will be provided, if known, to the receiver when the transaction had spending account dollars reported as part of the patient pay amount. <i>Payer Requirement: Same As Imp Guide</i>

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
129-UD	HEALTH PLAN-FUNDED ASSISTANCE AMOUNT		RW	<i>Imp Guide:</i> Required when the patient meets the plan-funded assistance criteria, to reduce Patient Pay Amount (5Ø5-F5). The resulting Patient Pay Amount (5Ø5-F5) must be greater than or equal to zero. <i>Payer Requirement: Same As Imp Guide</i>
133-UJ	AMOUNT ATTRIBUTED TO PROVIDER NETWORK SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another <i>Payer Requirement: Same As Imp Guide</i>
134-UK	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND DRUG		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand drug. <i>Payer Requirement: Same As Imp Guide</i>
135-UM	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a non-preferred formulary product. <i>Payer Requirement: Same As Imp Guide</i>
136-UN	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND NON-PREFERRED FORMULARY SELECTION		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brand non-preferred formulary product. <i>Payer Requirement: Same As Imp Guide</i>
137-UP	AMOUNT ATTRIBUTED TO COVERAGE GAP		RW	<i>Imp Guide:</i> Required when the patient's financial responsibility is due to the coverage gap. <i>Payer Requirement: Same As Imp Guide</i>
148-U8	INGREDIENT COST CONTRACTED/REIMBURSABLE AMOUNT		RW	<i>Imp Guide:</i> Required when Basis of Reimbursement Determination (522-FM) is "14" (Patient Responsibility Amount) or "15" (Patient Pay Amount) unless prohibited by state/federal/regulatory agency. <i>Payer Requirement: Same As Imp Guide</i>
149-U9	DISPENSING FEE CONTRACTED/REIMBURSABLE AMOUNT		RW	<i>Imp Guide:</i> Required when Basis of Reimbursement Determination (522-FM) is "14" (Patient Responsibility Amount) or "15" (Patient Pay Amount) unless prohibited by state/federal/regulatory agency. <i>Payer Requirement: Same As Imp Guide</i>

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used. <i>Payer Requirement: Same As Imp Guide</i>

	Response DUR/PPS Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
439-E4	REASON FOR SERVICE CODE		RW	<i>Imp Guide:</i> Required if utilization conflict is detected. <i>Payer Requirement:</i> Same As Imp Guide
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same As Imp Guide
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same As Imp Guide
530-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Quantity of Previous Fill (531-FV) is used. <i>Payer Requirement:</i> Same As Imp Guide
531-FV	QUANTITY OF PREVIOUS FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (530-FU) is used. <i>Payer Requirement:</i> Same As Imp Guide
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same As Imp Guide
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same As Imp Guide
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same As Imp Guide
570-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same As Imp Guide

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	X	

	Response Coordination of Benefits/Other Payers Segment Identification (111-AM) = "28"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	

Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"				Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (34Ø-7C) is used. <i>Payer Requirement:</i> Same As Imp Guide
34Ø-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same As Imp Guide
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same As Imp Guide
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same As Imp Guide
992-MJ	OTHER PAYER GROUP ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same As Imp Guide
142-UV	OTHER PAYER PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer. <i>Payer Requirement:</i> Same As Imp Guide
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver. <i>Payer Requirement:</i> Same As Imp Guide
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE		RW	<i>Imp Guide:</i> Required when other coverage is known which is after the Date of Service submitted. <i>Payer Requirement:</i> Same As Imp Guide
145-UY	OTHER PAYER BENEFIT TERMINATION DATE		RW	<i>Imp Guide:</i> Required when other coverage is known which is after the Date of Service submitted. <i>Payer Requirement:</i> Same As Imp Guide

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

Response Transaction Header Segment				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	M	
1Ø3-A3	TRANSACTION CODE	B1, B3	M	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	M	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	M	

Response Transaction Header Segment				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Message Segment Segment Identification (111-AM) = "20"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<p><i>Imp Guide:</i> Required if text is needed for clarification or detail.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

Response Insurance Segment Segment Identification (111-AM) = "25"				Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
301-C1	GROUP ID		RW	<p><i>Imp Guide:</i> Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available.</p> <p>Required to identify the actual group that was used when multiple group coverages exist.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
524-FO	PLAN ID		RW	<p><i>Imp Guide:</i> Required if needed to identify the actual plan parameters, benefit, or coverage criteria, when available.</p> <p>Required to identify the actual plan ID that was used when multiple group coverages exist.</p> <p>Required if needed to contain the actual plan ID if unknown to the receiver.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
545-2F	NETWORK REIMBURSEMENT ID		RW	<p><i>Imp Guide:</i> Required if needed to identify the network for the covered member.</p> <p>Required if needed to identify the actual Network Reimbursement ID, when applicable and/or available.</p> <p>Required to identify the actual Network Reimbursement ID that was used when multiple Network Reimbursement IDs exist.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
568-J7	PAYER ID QUALIFIER		RW	<p><i>Imp Guide:</i> Required if Payer ID (569-J8) is used.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
569-J8	PAYER ID		RW	<i>Imp Guide:</i> Required to identify the ID of the payer responding. <i>Payer Requirement:</i> Same As Imp Guide
302-C2	CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if the identification to be used in future transactions is different than what was submitted on the request. <i>Payer Requirement:</i> Same As Imp Guide

Response Patient Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response Patient Segment Segment Identification (111-AM) = "29"			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
310-CA	PATIENT FIRST NAME		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same As Imp Guide
311-CB	PATIENT LAST NAME		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same As Imp Guide
304-C4	DATE OF BIRTH		RW	<i>Imp Guide:</i> Required if known. <i>Payer Requirement:</i> Same As Imp Guide

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement:</i> Same As Imp Guide
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement:</i> Same As Imp Guide
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same As Imp Guide
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement:</i> Same As Imp Guide
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement:</i> Same As Imp Guide

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement:</i> Same As Imp Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (55Ø-8F) is used. <i>Payer Requirement:</i> Same As Imp Guide
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement:</i> Same As Imp Guide
987-MA	URL		RW	<i>Imp Guide:</i> Provided for informational purposes only to relay health care communications via the Internet. <i>Payer Requirement:</i> Same As Imp Guide

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, <i>Payer Situation</i>
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing).
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		M	
551-9F	PREFERRED PRODUCT COUNT	Maximum count of 6.	RW	<i>Imp Guide:</i> Required if Preferred Product ID (553-AR) is used. <i>Payer Requirement:</i> Same As Imp Guide
552-AP	PREFERRED PRODUCT ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Preferred Product ID (553-AR) is used. <i>Payer Requirement:</i> Same As Imp Guide
553-AR	PREFERRED PRODUCT ID		RW	<i>Imp Guide:</i> Required if a product preference exists that needs to be communicated to the receiver via an ID. <i>Payer Requirement:</i> Same As Imp Guide
554-AS	PREFERRED PRODUCT INCENTIVE		RW	<i>Imp Guide:</i> Required if there is a known incentive amount associated with the Preferred Product ID (553-AR) and/or Preferred Product Description (556-AU). <i>Payer Requirement:</i> Same As Imp Guide
555-AT	PREFERRED PRODUCT COST SHARE INCENTIVE		RW	<i>Imp Guide:</i> Required if there is a known patient financial responsibility incentive amount associated with the Preferred Product ID (553-AR) and/or Preferred Product Description (556-AU). <i>Payer Requirement:</i> Same As Imp Guide

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
556-AU	PREFERRED PRODUCT DESCRIPTION		RW	<p><i>Imp Guide:</i> Required if a product preference exists that either cannot be communicated by the Preferred Product ID (553-AR) or to clarify the Preferred Product ID (553-AR).</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<p><i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
439-E4	REASON FOR SERVICE CODE		RW	<p><i>Imp Guide:</i> Required if utilization conflict is detected.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
529-FT	OTHER PHARMACY INDICATOR		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
530-FU	PREVIOUS DATE OF FILL		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p>Required if Quantity of Previous Fill (531-FV) is used.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
531-FV	QUANTITY OF PREVIOUS FILL		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p>Required if Previous Date Of Fill (530-FU) is used.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
532-FW	DATABASE INDICATOR		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
533-FX	OTHER PRESCRIBER INDICATOR		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>
544-FY	DUR FREE TEXT MESSAGE		RW	<p><i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.</p> <p><i>Payer Requirement:</i> Same As Imp Guide</p>

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
57Ø-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict. <i>Payer Requirement:</i> Same As Imp Guide

Response Prior Authorization Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response Prior Authorization Segment Segment Identification (111-AM) = "26"			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
498-PY	PRIOR AUTHORIZATION NUMBER-ASSIGNED		RW	<i>Imp Guide:</i> Required when the receiver must submit this Prior Authorization Number in order to receive payment for the claim. <i>Payer Requirement:</i> Same As Imp Guide

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"			Claim Billing/Claim Rebill Accepted/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	M	
338-5C	OTHER PAYER COVERAGE TYPE		M	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (34Ø-7C) is used. <i>Payer Requirement:</i> Same As Imp Guide
34Ø-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same As Imp Guide
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same As Imp Guide
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same As Imp Guide
992-MJ	OTHER PAYER GROUP ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits. <i>Payer Requirement:</i> Same As Imp Guide
142-UV	OTHER PAYER PERSON CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer. <i>Payer Requirement:</i> Same As Imp Guide

	Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver. <i>Payer Requirement:</i> Same As Imp Guide
143-UW	OTHER PAYER PATIENT RELATIONSHIP CODE		RW	<i>Imp Guide:</i> Required if needed to uniquely identify the relationship of the patient to the cardholder ID, as assigned by the other payer. <i>Payer Requirement:</i> Same As Imp Guide
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE		RW	<i>Imp Guide:</i> Required when other coverage is known which is after the Date of Service submitted. <i>Payer Requirement:</i> Same As Imp Guide
145-UY	OTHER PAYER BENEFIT TERMINATION DATE		RW	<i>Imp Guide:</i> Required when other coverage is known which is after the Date of Service submitted. <i>Payer Requirement:</i> Same As Imp Guide

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
102-A2	VERSION/RELEASE NUMBER	DØ	M	
103-A3	TRANSACTION CODE	B1, B3	M	
109-A9	TRANSACTION COUNT	Same value as in request	M	
501-F1	HEADER RESPONSE STATUS	R = Rejected	M	
202-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
201-B1	SERVICE PROVIDER ID	Same value as in request	M	
401-D1	DATE OF SERVICE	Same value as in request	M	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	X	

	Response Message Segment Segment Identification (111-AM) = "20"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
504-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail. <i>Payer Requirement:</i> Same As Imp Guide

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	M	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
<i>Field #</i>	<i>NCPDP Field Name</i>	<i>Value</i>	<i>Payer Usage</i>	<i>Payer Situation</i>
503-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction. <i>Payer Requirement: Same As Imp Guide</i>
510-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence. <i>Payer Requirement: Same As Imp Guide</i>
130-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement: Same As Imp Guide</i>
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used. <i>Payer Requirement: Same As Imp Guide</i>
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail. <i>Payer Requirement: Same As Imp Guide</i>
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. <i>Payer Requirement: Same As Imp Guide</i>
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	<i>Imp Guide:</i> Required if Help Desk Phone Number (550-8F) is used. <i>Payer Requirement: Same As Imp Guide</i>
550-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver. <i>Payer Requirement: Same As Imp Guide</i>

**** End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet ****

**"Materials Reproduced With the Consent of
©National Council for Prescription Drug Programs, Inc.
2008 NCPDP"**